

**IZVAJA O SVOJSTVIMA
DECLARATION OF PERFORMANCE**

prema Uradbi o građevnim proizvodima (EU) br. 305/2011
according to Construction Products Regulation (EU) No. 305/2011

Br. / No. CPR-20-13-101

1. Jedinствена identifikacijska oznaka vrste proizvoda: / *Unique identification code of the product-type:*
BX-SBL501 Alarmni uređaj, zvučni (vidi aneks)
BX-SBL502 Alarm device, acoustical (see annex)
2. Namjena/namjene: / *Intended use/es:*
Sigurnost od požara / Fire Safety
3. Proizvođač: / *Manufacturer:*
Schrack Seconet AG, Eibesbrunnnergasse 18, 1120 Beč / Vienna, Austrija / Austria
4. Ovlašteni predstavnik: / *Authorised representative:*
nije primjenjivo / not applicable
5. Sustav/sustavi za ocjenu i provjeru stalnosti svojstava (AVCP): / *System/s of AVCP:*
1
6. Harmonizirani standardi: / *Harmonised Standards:*
EN 54-3:2001 / A2:2006 Sustavi za otkrivanje i dojavu požara – 3. dio: Naprave za uzbunjivanje – Sirene
Fire detection and fire alarm systems — Part 3: Fire alarm devices — Sounders
EN 54-17:2005 / AC:2007 Sustavi za otkrivanje i dojavu požara – 17. dio: Izolatori kratkoga spoja
Fire detection and fire alarm systems — Part 17: Short-circuit isolators
Prijavljeno tijelo/prijavljena tijela / Notified body/es
0786 VdS Schadenverhütung GmbH
0786-CPR-21066
7. Objavljena svojstva: / *Declared performance/s:*

Bitna obilježja	Essential Characteristics	Svojstva Performance	Usklađene tehničke specifikacije; klauzula Harmonised technical specification; Clause
Učink u slučaju požara	Performance under fire conditions	Položeno Passed	EN 54-3:2001 / A2:2006; 4.2 – 4.3, 4.4.1 – 4.4.2, 5.2 – 5.3, 5.18 – 5.20
Pogonska pouzdanost	Operational reliability	Položeno Passed	EN 54-3:2001 / A2:2006; 4.4 – 4.6, 5.4
Trajnost pogonske pouzdanosti, otpornost na temperaturu	Durability of operational reliability, temperature resistance	Položeno Passed	EN 54-3:2001 / A2:2006; 5.5 – 5.9
Trajnost pogonske pouzdanosti, otpornost na vlagu	Durability of operational reliability, humidity resistance	Položeno Passed	EN 54-3:2001 / A2:2006; 5.8 – 5.10
Trajnost pogonske pouzdanosti, otpornost na koroziju	Durability of operational reliability, corrosion resistance	Položeno Passed	EN 54-3:2001 / A2:2006; 5.11
Trajnost pogonske pouzdanosti, otpornost udarce i vibracije	Durability of operational reliability, shock and vibration resistance	Položeno Passed	EN 54-3:2001 / A2:2006; 5.12 – 5.15
Trajnost pogonske pouzdanosti, električna stabilnost	Durability of operational reliability, electrical stability	Položeno Passed	EN 54-3:2001 / A2:2006; 5.16
Trajnost pogonske pouzdanosti, otpornost ulaza	Durability of operational reliability, resistance to ingress	Položeno Passed	EN 54-3:2001 / A2:2006; 5.17
Učink u slučaju požara	Performance under fire conditions	Položeno Passed	EN 54-17:2005 / AC:2007; 5.2
Pogonska pouzdanost	Operational reliability	Položeno Passed	EN 54-17:2005 / AC:2007; 4
Trajnost pogonske pouzdanosti, otpornost na temperaturu	Durability of operational reliability, temperature resistance	Položeno Passed	EN 54-17:2005 / AC:2007; 5.4 – 5.5
Trajnost pogonske pouzdanosti, otpornost na vibracije	Durability of operational reliability, vibration resistance	Položeno Passed	EN 54-17:2005 / AC:2007; 5.9 – 5.12
Trajnost pogonske pouzdanosti, otpornost na vlagu	Durability of operational reliability, humidity resistance	Položeno Passed	EN 54-17:2005 / AC:2007; 5.6 – 5.7
Trajnost pogonske pouzdanosti, otpornost na koroziju	Durability of operational reliability, corrosion resistance	Položeno Passed	EN 54-17:2005 / AC:2007; 5.8
Trajnost pogonske pouzdanosti, električna stabilnost	Durability of operational reliability, electrical stability	Položeno Passed	EN 54-17:2005 / AC:2007; 5.3, 5.13

8. Odgovarajuća tehnička dokumentacija i/ili specifična tehnička dokumentacija:
Appropriate Technical Documentation and/or Specific Technical Documentation:
B-HB-0091

Prije utvrđeno svojstvo proizvoda u skladu je s objavljenim svojstvima. Ova izjava o svojstvima izdaje se, u skladu s Uredbom (EU) br. 305/2011, pod isključivom odgovornošću prethodno utvrđenog proizvođača.
The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Ova izjava o svojstvima je dostupna na internetu: www.schrack-seconet.com/dop / *This declaration of performance is available on the internet:*

www.schrack-seconet.com/dop

Potpisano za i u ime: / *Signed for and on behalf of:*

Schrack Seconet AG
1120 Beč / Vienna, Austrija / Austria
13.12.2019.


ppa.
Thomas Kern
Voditelj odjela za upravljanje proizvodima i kompetentnost
Head of Product Management and Competence Center


ppa.
Edgar Eidenberger
Voditelj odjela razvoja
Head of Development

**PRILOG
ANNEX**

Predmet izjave: / Object of the declaration:

Br. proizvoda: / Item No:	Vrsta: / Type:	Opis:	Description:
20-2100011-01	BX-SBL501-WDB	Sirena u podnožju USB 501 bijela	Base sounder for USB 501 white
20-2100011-02	BX-SBL501-W	Sirena u podnožju USB 501 bijela	Base sounder for USB 501 white
20-2100012-01	BX-SBL502-RDB	Unutamja sirena crvena visoko	Platform sounder red high
20-2100012-02	BX-SBL502-WDB	Unutamja sirena bijela visoko	Platform sounder white high
20-2100012-03	BX-SBL502-R	Unutamja sirena crvena	Platform sounder red
20-2100012-04	BX-SBL502-W	Unutamja sirena bijela	Platform sounder white