

**IZJAVA O SVOJSTVIMA
DECLARATION OF PERFORMANCE**

prema Uredbi o građevnim proizvodima (EU) br. 305/2011
according to Construction Products Regulation (EU) No 305/2011

Br. / No. CPR-20-13-006

1. Jedinstvena identifikacijska oznaka vrste proizvoda: / *Unique identification code of the product-type:*
BX-IOM Ulazno/izlazni modul (vidi aneks)
Input/Output module (see annex)
2. Namjena/namjene: / *Intended use/es:*
sigurnost od požara / Fire safety
3. Proizvođač: / *Manufacturer:*
Schrack Seconet AG, Elbesbrunnergasse 18, 1120 Wien / Vienna, Österreich / Austria
4. Ovlašteni predstavnik: / *Authorised representative:*
nije primjenjivo / not applicable
5. Sustav/sustavi za ocjenu i provjeru stalnosti svojstava (AVCP): / *System/s of AVCP:*
1
- 6a. Usklađena norma: / *Harmonised standard:*
EN 54-17:2005/AC:2007 Sustavi za otkrivanje i dojavu požara – 17. dio: Izolatori kratkoga spoja
Fire detection and fire alarm systems — Part 17: Short-circuit isolators
EN 54-18:2005/AC:2007 Sustavi za otkrivanje i dojavu požara – 18. dio: Ulazno/izlazni uređaji
Fire detection and fire alarm systems — Part 18: Input/output devices
- Prijavljeno tijelo/prijavljena tijela: / *Notified body/ies:*
0786 VdS Schadenverhütung GmbH

7. Objavljena svojstva: / *Declared performance/s:*

Bitna obilježja	Essential characteristics	svojstva	Usklađene tehničke specifikacije; klauzula
		Performance	Harmonised technical specification; Clause
Učinak u slučaju požara	Performance under fire conditions	položeno pass	EN 54-17:2005 / AC:2007; 5.2
Pogonska pouzdanost	Operational reliability	položeno pass	EN 54-17:2005 / AC:2007; 4
Trajnost pogonske pouzdanosti, otpornost na temperaturu	Durability of operational reliability, temperature resistance	položeno pass	EN 54-17:2005 / AC:2007; 5.4 – 5.5
Trajnost pogonske pouzdanosti, otpornost na vibracije	Durability of operational reliability, vibration resistance	položeno pass	EN 54-17:2005 / AC:2007; 5.9 – 5.12
Trajnost pogonske pouzdanosti, otpornost na vlagu	Durability of operational reliability, humidity resistance	položeno pass	EN 54-17:2005 / AC:2007; 5.6 – 5.7
Trajnost pogonske pouzdanosti, otpornost na koroziju	Durability of operational reliability, corrosion resistance	položeno pass	EN 54-17:2005 / AC:2007; 5.8
Trajnost pogonske pouzdanosti, električna stabilnost	Durability of operational reliability, electrical stability	položeno pass	EN 54-17:2005 / AC:2007; 5.3, 5.13
Odgoda aktivacije (vrijeme aktivacije pri alarmu)	Response delay (response time)	položeno pass	EN 54-18:2005 / AC:2007; 5.2
Učinak u slučaju požara	Performance under fire conditions	položeno pass	EN 54-18:2005 / AC:2007; 5.1.4
Pogonska pouzdanost	Operational reliability	položeno pass	EN 54-18:2005 / AC:2007; 5.1.4
Trajnost pogonske pouzdanosti, otpornost na temperaturu	Durability of operational reliability, temperature resistance	položeno pass	EN 54-18:2005 / AC:2007; 5.3 – 5.4
Trajnost pogonske pouzdanosti, otpornost na vibracije	Durability of operational reliability, vibration resistance	položeno pass	EN 54-18:2005 / AC:2007; 5.8 – 5.11
Trajnost pogonske pouzdanosti, otpornost na vlagu	Durability of operational reliability, humidity resistance	položeno pass	EN 54-18:2005 / AC:2007; 5.5 – 5.6
Trajnost pogonske pouzdanosti, otpornost na koroziju	Durability of operational reliability, corrosion resistance	položeno pass	EN 54-18:2005 / AC:2007; 5.7
Trajnost pogonske pouzdanosti, električna stabilnost	Durability of operational reliability, electrical stability	položeno pass	EN 54-18:2005 / AC:2007; 5.2, 5.12

8. Odgovarajuća tehnička dokumentacija i/ili specifična tehnička dokumentacija: /
Appropriate Technical Documentation and/or Specific Technical Documentation:

B-HB-0081

Prije utvrđeno svojstvo proizvoda u skladu je s objavljenim svojstvima.

Ova izjava o svojstvima izdaje se, u skladu s Uredbom (EU) br. 305/2011, pod isključivom odgovornošću prethodno utvrđenog proizvođača. /

The performance of the product identified above is in conformity with the set of declared performance/s.


This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Ova izjava o svojstvima je dostupna na internetu: / *This declaration of performance is available on the internet:*
www.Schrack-Seconet.com/DoP

Za proizvođača i u njegovo ime potpisao: / *Signed for and on behalf by:*

Schrack Seconet AG
1120 Wien / Vienna, Österreich / Austria, 15.01.2018

ppa.



Thomas Kern
Voditelj odjela za upravljanje proizvodima i kompetentnost
Head of Product Management and Competence Center

ppa.



Heinrich Kohlenberger
Voditelj odjela razvoja
Head of Development

Prilog Annex

Predmet izjave: / Object of the declaration:

Broj artikla: / Item No:	Vrsta: / Type:	Opis:	Description:
20-2100002-01	BX-IOM	Ulazno/izlazni modul	Input/Output module
FG020234	GEH MOD IP66	IP 66 ormarić	IP 66 cabinet
20-2101000-01	TK PC 99-6-M	IP 66 ormarić	IP 66 cabinet