

# Textterminal TXT

## Text terminal TXT



### Beschreibung

Großtextanzeigen zur gruppenweisen Signalisierung von Rufen und Merkschaltungen mehrerer Räume unter Berücksichtigung der Rufprioritäten. Die alphanumerische Anzeige des Rufortes leitet Personal auf kürzestem Weg zum Rufort. Ausgestattet mit einem Lautsprecher zur akustischen Signalisierung von Rufen und Durchsagen. In unterschiedlichen Ausführungen zur Decken- oder Wandmontage verfügbar.

Zur flachen Wandmontage werden das Textterminal TXT und zwei Stück der Wandhalterung TXT-WH benötigt. Zur Deckenmontage können die Textterminals TXT-D und TXT-2D ohne Zubehör verwendet werden. Die Montage erfolgt üblicherweise in Gängen, Aufenthaltsbereichen und vor Dienstzimmern des Personals.

- Modelle mit einem Display und einem Lautsprecher:
  - Textterminal TXT (flache Wandmontage)
  - Textterminal TXT-W (Wandmontage im rechten Winkel)
  - Textterminal TXT-D (Deckenmontage)
- Modelle mit zwei gegenüberliegenden Displays und zwei Lautsprechern:
  - Textterminal TXT-2D (Deckenmontage)
- Textterminals TXT-D und TXT-2D können zwischen 82 cm und 100 cm von der Decke abgesetzt montiert werden

- Anzeige von Rufen und Merkschaltungen mehrerer Räume unter Berücksichtigung der Rufprioritäten
- abwechselnde Anzeige von Uhrzeit und Datum im Ruhezustand
- Zeichenhöhe acht Zentimeter
- bis zu zwölf Zeichen gleichzeitig darstellbar
- 80 selbstleuchtende LED pro Zeichen
- Lautsprecher zur akustischen Signalisierung von Rufen und für Durchsagen
- integrierte RS-485- und RS-232-Schnittstellen
- Aluminiumgehäuse

- indication of calls and reminder modes of several rooms under consideration of call priorities
- alternating indication of time and date in idle mode
- character height eight centimetre
- up to twelve characters can be displayed simultaneously
- 80 self-luminous LED per character
- loudspeakers for the acoustic signalling of calls and for announcements
- integrated RS-485 and RS-232 interfaces
- aluminium case

### Description

Large text indications for the grouped signalling of calls and reminder modes of several rooms under consideration of call priorities. The alphanumeric indication of the call location guides the staff to the call location by the shortest route. Equipped with a loudspeaker for acoustic signalling of calls and announcements. Available in different variants for ceiling or wall-mounting.


For flush wall-mounting, the text terminal TXT and two wall-mounted brackets TXT-WH are required. For ceiling mounting, the TXT-D and TXT-2D text terminals can be used without accessories. Generally installed in corridors, communal areas and in front of staff rooms.

- Models with a display and loudspeaker:
  - Text terminal TXT (flush wall-mounting)
  - Text terminal TXT-W (wall-mounting at a right angle)
  - Text terminal TXT-D (ceiling mounting)
- Models with two opposite displays and two loudspeakers:
  - Textterminal TXT-2D (ceiling mounting)
- The text terminals TXT-D and TXT-2D can be mounted at a distance between 82 cm and 100 cm from the ceiling

# Textterminal TXT

## Text terminal TXT

### Abmessungen Dimensions



Alle Maße in mm  
All dimensions in mm

### Technische Daten

<b>Systemkompatibilität:</b>	Visocall IP, Visocall Plus
<b>Betriebsspannung:</b>	24 V DC
<b>Schnittstellen/ Systemanschluss:</b>	Blockklemme zum Anschluss an ein VTXT-IP oder V-TXT (RS-485- und RS-232-Schnittstelle mit Spannungsversorgung und Kontakten für ein analoges Audiosignal)
<b>Montage:</b>	Aufputz
<b>Schutzart:</b>	VDE 0834 Umweltklasse I
<b>Gehäusematerial:</b>	Aluminium
<b>Gehäusefarbe:</b>	weiß, RAL 9016
<b>Abmessungen je Display:</b>	978 × 110 × 40 mm (H×B×T)
<b>Gewicht:</b>	
TXT, TXT-D:	ca. 4 kg
TXT-2D:	ca. 7,5 kg

### Technical data

<b>System compatibility:</b>	Visocall IP, Visocall Plus
<b>Operating voltage:</b>	24 V DC
<b>Interfaces/system connection:</b>	Block terminal for the connection of a VTXT-IP or V-TXT (RS-485 and RS-232 interface with power supply and contacts for an analogue audio signal)
<b>Installation:</b>	surface mounting
<b>Protection class:</b>	VDE 0834 Environmental class I
<b>Case material:</b>	aluminium
<b>Case colour:</b>	white, RAL 9016
<b>Dimensions per display:</b>	978 × 110 × 40 mm (H×W×D)
<b>Weight:</b>	
TXT, TXT-D:	approx. 4 kg
TXT-2D:	approx. 7.5 kg