

**IZJAVA O SVOJSTVIMA  
DECLARATION OF PERFORMANCE**

prema Uredbi o građevnim proizvodima (EU) br. 305/2011  
according to Construction Products Regulation (EU) No 305/2011

**Br. / No. CPR-20-13-008**

1. Jedinствена identifikacijska oznaka vrste proizvoda: / Unique identification code of the product-type:

**BX-REL4** Ulazno/izlazni modul (vidi aneks)  
Input/Output module (see annex)

2. Namjena/namjene: / Intended use/es:

**sigurnost od požara / Fire safety**

3. Proizvođač: / Manufacturer:

**Schrack Seconet AG, Eibesbrunnergasse 18, 1120 Wien / Vienna, Österreich / Austria**

4. Ovlašteni predstavnik: / Authorised representative:

**nije primjenjivo / not applicable**

5. Sustav/sustavi za ocjenu i provjeru stalnosti svojstava (AVCP)v: / System/s of AVCP:

**1**

6a. Usklađena norma: / Harmonised standard:

**EN 54-17:2005/AC:2007** Sustavi za otkrivanje i dojavu požara – 17. dio: Izolatori kratkoga spoja  
Fire detection and fire alarm systems — Part 17: Short-circuit isolators

**EN 54-18:2005/AC:2007** Sustavi za otkrivanje i dojavu požara – 18. dio: Ulazno/izlazni uređaji  
Fire detection and fire alarm systems — Part 18: Input/output devices

Prijavljeno tijelo/prijavljena tijela: / Notified body/ies:

**0786 VdS Schadenverhütung GmbH**

7. Objavljena svojstva: / Declared performance/s:

Bitna obilježja	Essential characteristics	svojstva Performance	Usklađene tehničke specifikacije; klauzula Harmonised technical specification; Clause
Učinak u slučaju požara	Performance under fire conditions	položeno pass	EN 54-17:2005 / AC:2007; 5.2
Pogonska pouzdanost	Operational reliability	položeno pass	EN 54-17:2005 / AC:2007; 4
Trajnost pogonske pouzdanosti, otpornost na temperaturu	Durability of operational reliability, temperature resistance	položeno pass	EN 54-17:2005 / AC:2007; 5.4 – 5.5
Trajnost pogonske pouzdanosti, otpornost na vibracije	Durability of operational reliability, vibration resistance	položeno pass	EN 54-17:2005 / AC:2007; 5.9 – 5.12
Trajnost pogonske pouzdanosti, otpornost na vlagu	Durability of operational reliability, humidity resistance	položeno pass	EN 54-17:2005 / AC:2007; 5.6 – 5.7
Trajnost pogonske pouzdanosti, otpornost na koroziju	Durability of operational reliability, corrosion resistance	položeno pass	EN 54-17:2005 / AC:2007; 5.8
Trajnost pogonske pouzdanosti, električna stabilnost	Durability of operational reliability, electrical stability	položeno pass	EN 54-17:2005 / AC:2007; 5.3, 5.13
Odgoda aktivacije (vrijeme aktivacije pri alarmu)	Response delay (response time)	položeno pass	EN 54-18:2005 / AC:2007; 5.2
Učinak u slučaju požara	Performance under fire conditions	položeno pass	EN 54-18:2005 / AC:2007; 5.1.4
Pogonska pouzdanost	Operational reliability	položeno pass	EN 54-18:2005 / AC:2007; 5.1.4
Trajnost pogonske pouzdanosti, otpornost na temperaturu	Durability of operational reliability, temperature resistance	položeno pass	EN 54-18:2005 / AC:2007; 5.3 – 5.4
Trajnost pogonske pouzdanosti, otpornost na vibracije	Durability of operational reliability, vibration resistance	položeno pass	EN 54-18:2005 / AC:2007; 5.8 – 5.11
Trajnost pogonske pouzdanosti, otpornost na vlagu	Durability of operational reliability, humidity resistance	položeno pass	EN 54-18:2005 / AC:2007; 5.5 – 5.6
Trajnost pogonske pouzdanosti, otpornost na koroziju	Durability of operational reliability, corrosion resistance	položeno pass	EN 54-18:2005 / AC:2007; 5.7
Trajnost pogonske pouzdanosti, električna stabilnost	Durability of operational reliability, electrical stability	položeno pass	EN 54-18:2005 / AC:2007; 5.2, 5.12

8. Odgovarajuća tehnička dokumentacija i/ili specifična tehnička dokumentacija: /  
*Appropriate Technical Documentation and/or Specific Technical Documentation:*

**B-HB-0081**

Prije utvrđeno svojstvo proizvoda u skladu je s objavljenim svojstvima.

Ova izjava o svojstvima izdaje se, u skladu s Uredbom (EU) br. 305/2011, pod isključivom odgovornošću prethodno utvrđenog proizvođača. /

*The performance of the product identified above is in conformity with the set of declared performance/s.*

*This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.*


Ova izjava o svojstvima je dostupna na internetu: / *This declaration of performance is available on the internet:*

[www.Schrack-Seconet.com/DoP](http://www.Schrack-Seconet.com/DoP)

Za proizvođača i u njegovo ime potpisao: / *Signed for and on behalf by:*

**Schrack Seconet AG**  
1120 Wien / Vienna, Österreich / Austria, 15.01.2018

ppa.



Thomas Kern  
Voditelj odjela za upravljanje proizvodima i kompetentnost  
*Head of Product Management and Competence Center*

ppa.



Heinrich Kohlenberger  
Voditelj odjela razvoja  
*Head of Development*

**Prilog  
Annex**

---

Predmet izjave: / Object of the declaration:

<b>Broj artikla: / Item No:</b>	<b>Vrsta: / Type:</b>	<b>Opis:</b>	<b>Description:</b>
20-2100004-01	BX-REL4	Relejni modul	Relais module
FG020235	GEH MOD2 IP66	IP 66 ormarić	IP 66 cabinet
20-2101001-01	TK PC 1309-6-M	IP 66 ormarić	IP 66 cabinet